

## Freeform Search

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

  

<b>Term:</b>	L18 and (constant power)
--------------	--------------------------

  

<b>Display:</b>	<input type="text" value="50"/>	<b>Documents in Display Format:</b>	<input type="text" value="-"/>	<b>Starting with Number</b>	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	--------------------------------	-----------------------------	--------------------------------

  

**Generate:** ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

---

---

### Search History

---

**DATE:** Thursday, May 13, 2004   [Printable Copy](#)   [Create Case](#)

#### Set Name Query

side by side

*DB=PGPB,USPT; PLUR=YES; OP=ADJ*

#### Hit Count Set Name

result set

<u>L19</u>	L18 and (constant power)	1	<u>L19</u>
<u>L18</u>	('5710493')!.PN.	1	<u>L18</u>
<u>L17</u>	L16 and (constant near3 power)	4	<u>L17</u>
<u>L16</u>	('6150879'  '5867200'  '5710493'  '3629686')!.PN.	4	<u>L16</u>
<u>L15</u>	L13 and (test\$3.ti. or test\$3.ab.)	0	<u>L15</u>
<u>L14</u>	L13 and (test.ti. or test.ab.)	0	<u>L14</u>
<u>L13</u>	L12 and pulse	35	<u>L13</u>
<u>L12</u>	(constant power) near6 voltage supply	58	<u>L12</u>
<u>L11</u>	L9 and (constant near3 power)	2	<u>L11</u>
<u>L10</u>	L9 and (constant power)	0	<u>L10</u>
<u>L9</u>	('6031386'  '5295078')!.PN.	2	<u>L9</u>
<u>L8</u>	L7 and (test\$3.ti. or test\$3.ab.)	9	<u>L8</u>
<u>L7</u>	L6 and pulse	85	<u>L7</u>
<u>L6</u>	L3 and ((disturbance or interrupt\$3 or transient) near3 voltage)	114	<u>L6</u>
<u>L5</u>	L4 and pulse	284	<u>L5</u>
<u>L4</u>	L3 and (disturbance or interrupt\$3 or transient)	418	<u>L4</u>

## Freeform Search

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

  

<b>Term:</b>	L15 and voltage
--------------	-----------------

  

<b>Display:</b>	<input type="text" value="50"/>	<b>Documents in Display Format:</b>	<input type="text" value="-"/>	<b>Starting with Number</b>	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	--------------------------------	-----------------------------	--------------------------------

  

<b>Generate:</b>	<input type="radio"/> Hit List	<input checked="" type="radio"/> Hit Count	<input type="radio"/> Side by Side	<input type="radio"/> Image
------------------	--------------------------------	--	------------------------------------	-----------------------------

---

Search

Clear

Interrupt

---

### Search History

---

**DATE:** Thursday, May 13, 2004    [Printable Copy](#)    [Create Case](#)

#### Set Name Query

side by side

#### Hit Count Set Name

result set

*DB=PGPB,USPT; PLUR=YES; OP=ADJ*

<u>L16</u>	L15 and voltage	2	<u>L16</u>
<u>L15</u>	('20020050813'  '5923602')!.PN.	2	<u>L15</u>
<u>L14</u>	L13 and @ad<20000101	9	<u>L14</u>
<u>L13</u>	L12 and (test\$3.ti. or test\$3.ab.)	9	<u>L13</u>
<u>L12</u>	(interrupt\$3 or disturb\$3 or puls\$3) near3 power supply voltage	413	<u>L12</u>
<u>L11</u>	(interrupt\$3 or disturb\$3 or puls\$3) near3 power supply	7471	<u>L11</u>
<u>L10</u>	L9 and pulse	1	<u>L10</u>
<u>L9</u>	6043995.pn.	1	<u>L9</u>
<u>L8</u>	('6043995'  '4454529')!.PN.	2	<u>L8</u>
<u>L7</u>	L6 and @ad<20000101	30	<u>L7</u>
<u>L6</u>	L4 near3 L3	41	<u>L6</u>
<u>L5</u>	L4 near3 L1	5866	<u>L5</u>
<u>L4</u>	pulse	448840	<u>L4</u>
<u>L3</u>	L2 near3 L1	3666	<u>L3</u>
<u>L2</u>	(interruption or disturbance or transient)	294058	<u>L2</u>
<u>L1</u>	power supply	290566	<u>L1</u>

L3 L2 and @ad<20000101

1111 L3

L2 L1 and test\$3

1598 L2

L1 constant near6 power near6 voltage near6 supply

7103 L1

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
CONSTANT	1000431
CONSTANTS	103696
(26 AND CONSTANT).PGPB,USPT.	0
(L26 AND CONSTANT ).PGPB,USPT.	0

Database:

☐ US Pre-Grant Publication Full-Text Database  
☐ US Patents Full-Text Database  
☐ US OCR Full-Text Database  
☐ EPO Abstracts Database  
☐ JPO Abstracts Database  
☐ Derwent World Patents Index  
☐ IBM Technical Disclosure Bulletins

Search:

L27

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Thursday, May 13, 2004   [Printable Copy](#)   [Create Case](#)

#### Set Name Query

side by side

#### Hit Count Set Name

result set

*DB=PGPB,USPT; PLUR=YES; OP=ADJ*

<u>L27</u>	L26 and constant	0	<u>L27</u>
<u>L26</u>	20020005730	1	<u>L26</u>
<u>L25</u>	2002/0005730	0	<u>L25</u>
<u>L24</u>	2002/0005730.pn.	0	<u>L24</u>
<u>L23</u>	L22 and constant	0	<u>L23</u>
<u>L22</u>	09/823079	1	<u>L22</u>
<u>L21</u>	L20 and (constant power)	1	<u>L21</u>
<u>L20</u>	5710493.pn.	1	<u>L20</u>
<u>L19</u>	L18 and (constant power)	1	<u>L19</u>
<u>L18</u>	('5710493')!.PN.	1	<u>L18</u>
<u>L17</u>	L16 and (constant near3 power)	4	<u>L17</u>

<u>L16</u>	('6150879'  '5867200'  '5710493'  '3629686')!.PN.	4	<u>L16</u>
<u>L15</u>	L13 and (test\$3.ti. or test\$3.ab.)	0	<u>L15</u>
<u>L14</u>	L13 and (test.ti. or test.ab.)	0	<u>L14</u>
<u>L13</u>	L12 and pulse	35	<u>L13</u>
<u>L12</u>	(constant power) near6 voltage supply	58	<u>L12</u>
<u>L11</u>	L9 and (constant near3 power)	2	<u>L11</u>
<u>L10</u>	L9 and (constant power)	0	<u>L10</u>
<u>L9</u>	('6031386'  '5295078')!.PN.	2	<u>L9</u>
<u>L8</u>	L7 and (test\$3.ti. or test\$3.ab.)	9	<u>L8</u>
<u>L7</u>	L6 and pulse	85	<u>L7</u>
<u>L6</u>	L3 and ((disturbance or interrupt\$3 or transient) near3 voltage)	114	<u>L6</u>
<u>L5</u>	L4 and pulse	284	<u>L5</u>
<u>L4</u>	L3 and (disturbance or interrupt\$3 or transient)	418	<u>L4</u>
<u>L3</u>	L2 and @ad<20000101	1111	<u>L3</u>
<u>L2</u>	L1 and test\$3	1598	<u>L2</u>
<u>L1</u>	constant near6 power near6 voltage near6 supply	7103	<u>L1</u>

END OF SEARCH HISTORY